



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/729,486	12/05/2003	Frederick Allan Buck	19670	3116
23556	7590	10/24/2006	EXAMINER	
KIMBERLY-CLARK WORLDWIDE, INC. 401 NORTH LAKE STREET NEENAH, WI 54956			WAGGONER, TIMOTHY R	
			ART UNIT	PAPER NUMBER
			3651	

DATE MAILED: 10/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/729,486	BUCK ET AL.
Examiner	Art Unit	
Timothy R. Waggoner	3651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE ____ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 07 September 2006.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 11-19 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 11-19 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date. ____ .
3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 03/15/2006. 5) Notice of Informal Patent Application
6) Other: ____ .

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of Group III drawn to claims 11-19 in the reply filed on 09/07/2006 is acknowledged.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 11-13 and 19 rejected under 35 U.S.C. 103(a) as being unpatentable over Julius USPN 6,431,360 in view of Fillmore USPN 4,778,071 and further modified by Tabuchi USPN 6,702,109.

Julius discloses a wet wipe package comprising:

(Re claim 11) "a flexible pouch" (42 figure 3A). "a rigid flip top comprising a lid attached to a flange ... the flange forming a dispensing opening"" (54,48 figure 3A). "hinge comprising a living hinge" (56 figure 5).

Julius does not disclose that the living hinge comprises a central strap and two toggle straps or that there is a removable portion surrounded by the flange.

Fillmore teaches a living hinge comprising a central strap and two toggle straps.

Tabuchi teaches a removable portion surrounded by the flange.

It would be obvious to one skilled in the art to modify the dispenser of Julius to have a living hinge which has a central strap and two toggle straps and to have a

removable portion surrounded by the flange because the central strap and toggle strap act to hold the dispenser lid in an open position and the removable portion prevents the loss of moisture contained in the pouch..

(Re claim 12) "Moving the lid ... requires the force to be over come" (figure 7, Fillmore).

(Re claim 13) "a pair of channels ...at a first end ... at a second end" (32,33 figure 7, Fillmore).

(Re claim 19) "wherein the lid has a first rigidity and the flange has a second rigidity ... first ...greater ... second", The dispensing lid of Julius has a great cross-sectional area then its flange and since both are made of the same material the lid of Julius would be more rigid then the flange.


Claims 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Julius as modified by Tabuchi and Fillmore. With respect to claims 14-18, Julius as modified by Tabuchi and Fillmore does not disclose specific values for a thickness dimension. However, one of ordinary skill in the art is expected to routinely experiment with the parameters, especially when the specifics are not disclosed, so as to ascertain the optimum or workable ranges for a particular use. Accordingly, it would have been obvious through routine experimentation and optimization, for one of ordinary skill in the art to arrive at the thickness values claimed by applicant in claims 14-18.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy R. Waggoner whose telephone number is (571) 272-8204. The examiner can normally be reached on Mon-Thu 8am-2pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Crawford can be reached on (571) 272-6911. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TRW



GENE O. CRAWFORD
SUPERVISORY PATENT EXAMINER